




PRE-MILLED ABUTMENTS COMPLETE SOLUTIONS





DESS PRE-MILLED BLANKS AND HOLDERS SOLUTION

GET BETTER WITH DESS

PRE-MILLED BLANKS
IN TITANIUM AND COBALT-CHROME
FOR MOST OF THE IMPLANT BRANDS

HOLDER SYSTEMS
FOR IMES-ICORE®, VHF®
ZIRKONZAHN®, YENADENT® AND ANY
MACHINE WITH
STANDARD 98 MM DISC HOLDER

Back in 2012 DESS produced the first pre-milled blanks but the market was not ready then yet.

In the recent years, however, both in-house milling machines and the cad cam softwares have improved and made feasible the in-house production of customised abutments using these solution.

So now DESS offers a full assortment of Titanium grade V and Cobalt Chrome pre-milled blanks and optimise the milling process with the known quality of the DESS standard abutments.

The blanks works together with holder systems specially developed for Imes-Icore[®] VHF[®] machines, ZirkonZahn[®] wet mill, Yenadent[®] and a universal holder for any other machine that use standard 98 mm discs.



DESS becomes the reference again when it comes to dental CAD CAM solutions

The DESS proprietary holder system has several advantages to other solutions:

Quick "screw-on" system where the pre-milled blanks are attached to the subholder outside the machine and then placed in the holder that remains in the machine.

Much cleaner and faster.

Also, due to the unique way of "pull down and lock" holding system per pre-milled blank, the maximum precision and stability during the milling process is achieved.

Pre-milled socket positions and sub-holders are laser identified to better ensure what is where and optimise the milling process.




The pre-milled blanks are a reference of a wise and reliable solution:

A total millable length of 20 mm makes it one of the longest in the market.

Two diameters:
10mm / 14mm for Titanium
14 mm for Cobalt-Chrome

Minimal gingival transition height, just 0,3 mm to allow a maximum degree of design freedom.



“Pull down and lock” holding system. Developed by DESS back in 2012, allows a strong and precise positioning of the pre-milled blank inside its socket

The superb quality and fitting connection to implant, trademark of DESS for almost 10 years.

The materials used are the finest Titanium Grade V ELI (extra low interstitial) or also called Grade 23, and the exclusive Micro Melt Cobalt-Chrome.

This Cobalt-Chrome alloy has several advantages to others available to the market. First of all it has no internal tension so however radical the design is, the final custom abutment will preserve the shape along the process and result in less risk for ceramic cracks.


This alloy is also easier to mill than other Cobalt-Chrome solutions which will preserve your tools. Last but not least we can provide you with the exact thermal expansion coefficient to assure the highest level of quality on your final work.

Pre-milled Ti



ref. 61.xxx 10mm
ref. 62.xxx 14mm

Blocks



ref. 63.xxx

Pre-milled CoCr



ref. 71.xxx

PRE-MILLED

TITANIUM AND CoCr BLANKS ALLOW THE CREATION OF ONE-PIECE CUSTOMIZED ABUTMENTS USING IN-HOUSE MILLING EQUIPMENT. HIGH QUALITY AS WELL AS AN ACCURATE CONNECTION FIT IS GUARANTEED.

TODAY'S CAD/CAM TECHNOLOGY OFFERS VARIOUS POSSIBILITIES TO SAVE BOTH,

TIME AND COSTS.

OPTIMISING THE WORK-FLOW FROM THE INTRA-ORAL SCAN, TO DESIGNING AND MILLING THE SINGLE CROWN; WITHOUT THE NECESSITY OF PREPARING A WORKING MODEL.

THE FLEXIBILITY TO CHOOSE FROM DIFFERENT IMPLANT CONNECTIONS AND PLATFORMS IS ANOTHER ADVANTAGE WHEN PREFERRING TO WORK WITH DESS PRE-MILLED TITANIUM AND COBALT-CHROME BLANKS.

DESS PRE-MILLED ABUTMENTS ARE ALSO INCLUDED IN THE SOFTWARES OF HYPERDENT, WORKNC, SUM3D AND DENTAL SOFTWARES

Active Hex

NobelActive® NobelReplace® CC



3.0 NP RP WP

			3.0	PURPLE 3.5	YELLOW 4.3-5.0	WP
Ti	∅10mm	61.068	61.041	61.042	61.069	
	∅14mm		62.041	62.042	62.069	
CoCr	∅14mm	71.068	71.041	71.042	71.069	

Tri-Lobe

Nobel Replace Select™



PURPLE 3.5 YELLOW 4.3 BLUE 5.0 6.0

Ti	∅10mm	61.004	61.005	61.006	61.097
CoCr	∅14mm	71.004	71.005	71.006	71.097

External Hex Universal

NobelBranemark®



3.5 4.1 5.1

Ti	∅10mm	61.001	61.002	61.003
CoCr	∅14mm	71.001	71.002	71.003

External Hex USA

3i Osseotite®



PURPLE 3.4 BLUE 4.1 YELLOW 5.0

Ti	∅10mm	61.011	61.012	61.013
CoCr	∅14mm	71.011	71.012	71.013

Internal Hex "CLICK"

3i Certain®



PURPLE 3.4 BLUE 4.1 YELLOW 5.0

Ti	∅10mm	61.014	61.015	61.016
CoCr	∅14mm	71.014	71.015	71.016

Octagon

Straumann® Soft Tissue Level & synOCTA®



NP RP WP

NNC 3.5 RN 4.8 WN 6.5

Ti	∅10mm	61.070	61.009	61.045
	∅14mm		62.009	62.045
CoCr	∅14mm		71.009	71.045

Conical BL

Straumann® Bone Level



NC 3.3 RC 4.1

Ti	∅10mm	61.043	61.044
	∅14mm	62.043	62.044
CoCr	∅14mm	71.043	71.044

Internal Hex USA

Zimmer Abutmentschrauben-vent®



GREEN 3.5 PURPLE 4.5 YELLOW 5.7

Ti	∅10mm	61.017	61.018	61.019
	∅14mm	62.017		
CoCr	∅14mm	71.017	71.018	71.019

Conic EVO

Astra Tech Implant System™ EV



PURPLE 3.6 YELLOW 4.2 BLUE 4.8

Ti	∅10mm	61.059	61.060	61.061
CoCr	∅14mm	71.059	71.060	71.061

Internal Hex Conic

Astra Tech Osseospeed™



AQUA 3.5-4.0 LILAC 4.5-5.0

Ti	∅10mm	61.024	61.025
CoCr	∅14mm	71.024	71.025

3.3 NP RP WP

Internal Hex FD

Dentsply friadent® XIVE®



			SILVER 3.4	YELLOW 3.8	BLUE 4.5
Ti	∅10mm		61.038	61.039	61.040
CoCr	∅14mm		71.038	71.039	71.040

Internal ANK

Ankylos® C/X



Ti	∅10mm		61.250*
CoCr	∅14mm		71.250*

*available only in 3mm height

Conic OSS

Osstem® TS



			YELLOW MINI	GREEN REGULAR
Ti	∅10mm		61.072	61.073
CoCr	∅14mm		71.072	71.073

Internal CAM

Camlog®



			SILVER 3.3	YELLOW 3.8	PINK 4.3	BLUE 5.0
Ti	∅10mm		61.064	61.065	61.066	61.067
CoCr	∅14mm		71.064	71.065	71.066	71.067

Internal CON

Conelog®



			3.3	3.8	5.0
Ti	∅10mm		61.074	61.075	61.076
CoCr	∅14mm		71.074	71.075	71.076

RP WP
GREEN 4.2 BLUE 5.2

External Hex BH

Biohorizons®



Ti	∅10mm		61.021
CoCr	∅14mm		71.021

Internal Hex MI

MIS® Seven



			PURPLE STD	GREEN WIDE
Ti	∅10mm		61.017	61.018
CoCr	∅14mm		71.017	71.018

Conic ANYR

Megagen AnyRidge®



Ti	∅10mm		61.057
CoCr	∅14mm		71.057

CONIC IC

Medentis ICX®



Ti	∅10mm		61.080
	∅14mm		62.080
CoCr	∅14mm		71.080

Conic DENT

Dentium Superline™ & Implantium®



			3.8
Ti	∅10mm		61.090
CoCr	∅14mm		71.090



Ti	□15mm L 20 mm		63.020
Ti	□15mm L 40 mm		63.040

Holders




for standard 98mm disc machines
Any milling machine with a 98 mm disc holder HLDSTD



for Imes-icore® machines
Coritec 245i touch HLDIMES
Coritec 250i touch
Coritec 350i / Coritec 350i Loader
Coritec 450i
Coritec 550i
Coritec 650i / Coritec 650i Loader



for VHF
VHF S1 HLDVHF
VHF S2
VHF K5



for VHF R5 HLDVHFR5



for VHF N4 HLDVHFN4



for VHF Z4 HLDVHFZ4



for machines with support/changer 3R Yenadent® D14P & others HLDYEN14P
Holders for machines with support/changer 3R Yenadent® D14P & other 20 positions machines

Adaptors for ZirkonZahn® holders



Adaptors for ZirkonZahn® machines HLDZZ
M1 abutment
M1 wet heavy metal
M4 wet heavy metal
M5 heavy metal
M6 wet heavy metal

All DESS products are manufactured according to ISO 9001:2015 and ISO 13485:2016 with CE marking for all products Class IIb. 3i® and 3i® Certain®, Miniplant®, MicroMiniplant™ and Osseotite® are registered trademarks of 3i Implant Innovations, USA
ASTRA TECH™, OsseoSpeed™, ANKYLOS® C/X, XiVE®, FRIADENT®, ASTRATECH implant system™ EV and UniAbutment® are registered trademarks of DENTSPLY SIRONA Implants
BioHorizons® is a registered trademark of BioHorizons, INC.
Megagen® is a registered trademark of Mega'gen Implant Co. Ltd
Osstem® is a registered trademark of Osstem Implant Co. Ltd
Camlog®, Conelog® are registered trademarks Camlog Biotechnologies GmbH
Dentium Superline™ & Implantium® are registered trademarks of Dentium Co. Ltd
Brånemark System®, NobelReplace® and Replace Select™, NobelActive™, NobelReplace® CC, NobelSpeedy™ and Multi-unit® are registered trademarks of Nobel Biocare AB, Sweden
ITI®, Straumann® and synOcta® are registered trademarks of Straumann Holding AG, Switzerland
MIS® is a registered trademark of MIS Implant Technologies Ltd.
Zimmer Screw-Vent® and SwissPlus® are registered trademarks of Zimmer Dental INC, USA
Dynav is a registered trademark of Dyna Dental Engineering BV
Yenadent® is a registered trademark of Yenadent Ltd. Sti.
ZirkonZahn® is a registered trademark of Zirkonzahn GmbH
Imes-icore® is a registered trademark of Imes-icore GmbH

DESS products can be used only by licensed dentists, physicians and labs.

Please refer always to the instructions of use available on the website

www.dess-abutments.com

or supplied with the product.

Some products may not be available in your country.

Please contact your local distributor for more details.

DOC-19-EN-01





DESS

> DENTAL SMART SOLUTIONS

